Notice of Allowability	Application No.	Applicant(s)	
	10/611,502	LEE ET AL.	
	Examiner	Art Unit	
	Walter L. Lindsay, Jr.	2812	IMU
The MAILING DATE of this communication appears on the cover sheet with the correspondence address			
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
<ol> <li>This communication is responsive to <u>Continuation</u>.</li> <li>The allowed claim(s) is/are <u>1 and 2</u>.</li> <li>The drawings filed on <u>30 June 2003</u> are accepted by the Examiner.</li> <li>Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).         <ul> <li>All</li> <li>Some*</li> <li>None</li> <li>The drawings filed on <u>30 June 2003</u> are accepted by the Examiner.</li> </ul> </li> <li>Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> </ol>			
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No. <u>10/179,492</u> .			
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.			
(a) The translation of the foreign language provisional application has been received.			
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
8. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No			
(b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner.			
(c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).			
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
1⊠ Notice of References Cited (PTO-892)	5□ Notice of Informal Pa	tent Application (PTO	-152)
<ul> <li>2☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No. 1</li> </ul>	6☐ Interview Summary (I	PTO-413), Paper No	·
	), 7 Examiner's Amendme	7 Examiner's Amendment/Comment	
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemen 9□ Other .	it of Reasons for Allow	vance
			•

Application/Control Number: 10/611,502

Art Unit: 2812

## **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 1-2 are allowed.

The following is an examiner's statement of reasons for allowance: the prior art, either singly or in combination fails to anticipate or render obvious, the limitations of:

...alternately implanting first impurity ions in a given region of said well region to form a lattice type drift region having a first lattice and a second lattice which are alternately arranged, wherein said first lattice is implanted by said first impurity ions;

...implanting second impurity ions in said well region to control a threshold voltage;

forming a gate insulating film and a polysilicon film on said silicon substrate of said well region, and then patterning said polysilicon film to form a gate electrode;

implanting third impurity ions in said well region and said drift region to form a source region and a drain region respectively;

implanting forth impurity ions in said well region to form a source contact region connected to said source region, as required by claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2812

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Walter L. Lindsay, Jr. whose telephone number is (703) 306-5727. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John F Niebling can be reached on (703) 308-3325. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 308-3325.

**Technology Center 2800**